



PDU Technology Specification

Date: 06/09/2017

NO.:

Customer	Direktronik	RoHS	Yes
Product Name	Designated Power Distribution Unit for Cabinet	Customer's Code	
Part Number	190-5333	Picture Code	
No.	Item	Detailed Description	
1	Product Series	AUE2220	
2	Socket Type	BS1363 45degree[6];	
3	Socket Quantity	6	
4	Power Input	Left end single input	
5	Bracket Install	Inverse installation	
6	Cable with plug	BS1363 13A plug	
7	Control Function	No controlling function	
8	Protection Function	No protecting function	
9	Case	Black	
10	Cable Specification	3 x 1.5 mm ² x 5M	
11	Product Size	L x W x H = 483.6 x 44.4 x 62 mm	
12	Mounting Length	455.6 mm	
13	Case Length	427.6 mm	
14	PDU Exponent	0.983	
15	Fittings	2pcs $\phi 6 \times 16$ mm cross bolt, 2pcs M6 float nut	
16	Product Label	Product Name	Designated Power Distribution Unit for Cabinet
		Specification Model	190-5333
		Rating voltage	250VAC 50/60Hz
		Rating Current	13A
		Max. Current	
		Max. Power	3250W
		Safety Authentication	CE
		Logo	RoHS
		Producer	
No.	Add-In		
1	Socket assemble		
2	Interior Connection Wire	1.5 mm ² (16AWG)	
3	Interior Connection Style	Standard connection	
4	Fix the Cable	Small cable clamp	
5	Module Assemble (from left to right)		
6	Others		
Made by:		Danna	Customer confirm:
			Check:
			Authorize:

This technology specification is for: design product for customer and confirm customer's requirements, and is also the basic gist for arranging production.

Preview



BS1363 13A plug

DIMENSION AND TOLERANCES (Unit: mm)			SHENZHEN CLEVER ELECTRONIC CO.,LTD	
Length: 483.6	Mounting length: 455.6		Customer	Direktronik
Width: 44.4	Case length: 427.6		Product name	Designated Power Distribution Unit for Cabinet
Height: 62	case tolerance: ± 1.0		Part number	190-5333
	SIGN	DATE	Customer's code	
DRAWN	Danna	06/09/2017	Drawing number	SWDT0301706009
CHK'D			Edition number	
APP'D				

Date: 06/09/2017

PDU Technology Specification

NO.: SWDT0301706009