

DIREKTRONIK

VOLTAGE TESTER UP TO 1.000 V

Item 20114275



- Non-contact voltage detection
- Voltage sensitivity: 12-1000 V AC
- Frequency: 50-500 Hz
- Adjustment and memorization of detection sensitivity
- Acoustic and light indication by means of LEDs
- Auto power off
- Overvoltage category: CAT.II 1000V / CAT.III 600V



DIREKTRONIK

VOLTAGE TESTER UP TO 1.000 V

General	
Storage Temperature	-20°C~60°C
Humidity	<85%RH
Altitude	<2000m
Product Size	157mm×24mm×20 mm
Product Weight	42g
Certificate	CE/ETL/RoHS
Safety Rating	CAT II 1000V/CAT III 600V
Power Supply	2×1.5V AAA

Specs	
Non-Contact AC Voltage Detector	✓
AC Voltage Range	12~1000V
Frequency	50Hz~500Hz
Sound and light Indication	✓
Red and Green LED Light	✓
Double Molded Case	✓
Metal Detecting Distance	< 20mm
AC Voltage Sensitivity adjustment	✓
Memory Sensitivity function	✓
Auto Power Off	✓
Low Battery Indication	✓
Operating Temperature	-10°C~50°C

DIREKTRONIK

VOLTAGE TESTER UP TO 1.000 V

Product Code Information	
SKU	KPSDT120CBINT
EAN code	8435394747262
UPC code	810053670279
Pcs/export carton	80

DIREKTRONIK

Direktronik AB tel. 08-52 400 700 www.direktronik.se